



SMARTCAM

Our mobile box was deployed within 15 minutes.

A system that monitors you effortlessly, requiring no conscious thought on your part.



Fast
installation



Instant
connection



Easy to
set up



Intuitive
use



Simple
maintenance



Analytics
videos



Integrated GPS technology

- ✓ Real-time location for accurate tracking.
- ✓ Notification for unauthorized movement. (coming soon)
- ✓ Trackability and positional history. (coming soon)



Unified portal for all cameras

- ✓ Centralized oversight of all your cameras.
- ✓ Access from your computer, laptop, smartphone, tablet.
- ✓ Simplified monitoring with an intuitive interface.



Premier battery in the industry

- ✓ Autonomy of 5 to 11 days for prolonged monitoring.
- ✓ Enhanced performance even in extreme conditions.
- ✓ Real-time monitoring of battery charge level.




4G antenna linkage

- ✓ Rapid and secure video transmission.
- ✓ Seamless remote access.
- ✓ Ideal compatibility with mobile networks.



Compatible with your selected camera

- ✓ Optimal adaptability to fulfill your requirements.
- ✓ Seamless integration with a diverse array of cameras.
- ✓ Performance optimized based on your usage.



Compatible with Motorola / Unity AI

- ✓ Sophisticated image analysis for threat detection.
- ✓ Advanced object and motion recognition.
- ✓ Precise notifications and diminished false alarms.
- ✓ Advanced Analytics Videos.



Manufactured in Belgium

- ✓ Guaranteed quality and local expertise.
- ✓ Regulated production for optimal reliability.
- ✓ Local support and service.
- ✓ European Community standards.

SOPHISTICATED URBAN SURVEILLANCE

URBAN SAFETY HAS BEEN REVOLUTIONIZED THANKS TO OUR **SMARTCAM BOX**.

Improved public safety

- ✓ Real-time monitoring for prompt responsiveness.
- ✓ Insightful analysis to swiftly identify incidents and mitigate risks.
- ✓ Seamless integration with public safety networks and VMS for centralized management within the **SMARTCAM** cloud.



By utilizing our box, you can contribute to the safeguarding of your community or event.

BOX AT IDEAL HEIGHT

ENGINEERED FOR CONVENIENT ACCESS AND PROLONGED BATTERY LONGEVITY.

Remote battery enclosure

The **battery pack option**, developed at the request of a client, features a remote battery positioned at an accessible height for convenient access and management. This solution is both practical and efficient, facilitating streamlined management and continuous monitoring.



USER-FRIENDLY PLATFORM

MANAGE AND MONITOR EFFORTLESSLY WITH AN INTERFACE CRAFTED FOR OPTIMAL EFFICIENCY.

Intelligent Mobile Camera

- ✓ Access to an intuitive and secure platform
- ✓ Remote video viewing and live camera control
- ✓ Management of storage capacity
- ✓ Battery level monitoring
- ✓ Location tracking for each **SMARTCAM** camera



Intuitive platform: simplicity, responsiveness, efficiency.

VERSATILE CONTAINERS

A VERSATILE SOLUTION FOR EVERY CIRCUMSTANCE, BOXES TAILORED TO MEET EVERY REQUIREMENT.

Sale or lease

- ✓ **Cities** : continuous monitoring and improved security
- ✓ **Events** : tailored temporary solutions to meet your requirements
- ✓ **Public and private construction sites** : mobile security and real-time monitoring
- ✓ **Flexibility** : customized options for diverse rental durations
- ✓ **Efficiency** : installation of our **SMARTCAM** in merely 15 minutes



PERFORMANCE, RESILIENCE, AND INNOVATION

TECHNICAL SPECIFICATIONS THAT FULFILL YOUR REQUIREMENTS

Technical Specifications

MECHANICAL SPECIFICATIONS

Dimension (excluding camera)	411 mm x 275 mm x 575 mm
Camera Protection / Adjustable Height	0-45 mm
Weight (without battery)	13.2 kg
Weight (with battery)	29 kg
Classification	IP65 / IK10
Material	Aluminum and glass fiber-reinforced polyester
Color	RAL9003
Operating temperature	0°C to 40°C
Others	Lockable key and carrying handle.

ELECTRONIC SPECIFICATIONS - POWER SUPPLY

Maximum output power	80W (90W peak)
Input power	110 Volts AC / 230

ELECTRONIC SPECIFICATIONS - POWER SOURCE

Primary battery	80W (90W peak)
Primary battery lifespan	5 days (winter)/11 days (summer)
Safety battery	18.5 VDC - 62.9 Wh
Safety battery longevity	30 min to 30 min

NETWORK SPECIFICATIONS - CONNECTIVITY

Mobile	5G / 4G LTE / 3G / 2G
Wireless connectivity	2.4 and 5 GHz WiFi network
Wireless network strength	

NETWORK SPECIFICATIONS - LOCATION MONITORING


GNSS	Google Maps and GPS
------	---------------------

NETWORK SPECIFICATIONS - STATED DATA

Location	Contact information
Main battery status	% of capacity
Safety Battery Condition	Connected / Disconnected

OPTIONS

Safety battery	18.5 VDC - 62.9 Wh
Charger	
Gallows	
Remote battery enclosure	
230V power supply connection	
Bespoke hue	Upon request
Annual license(s)	SMARTCAM Cloud
Transport casing	
M2M Subscription Service	SIM Card



NETVISION

CONSTRUCTEUR, R & D **SMARTCAM BOX**



PHONE

+32 84 44 56 61



ADDRESS

Route de Bastogne 13A,
6970 Tenneville



EMAIL

info@netcomsmart.eu

